

## Key-reset emergency button

fireproof ABS material shell, key-reset, suitable for access control and alarm system.

**SMQT**



### • Parameter


**SMQT**

尺寸	54 * 54 * 32 (mm)
常开/常闭	NO / NC
额定电流	3A @ DC 36V
额定电压	DC 36V
安装方式	表面安装
外壳材料	ABS 防火材料
重量	ABS 40G
认证	40G

### • Introduction

**SMQT**

# PRODUCT PICTURE



□□□□ □□□ □ □□□□□□□□ □□□□□□ □□ □□□□□ □□□□ □□□□□□□□ □□□□□□ □□□□

□□□□□□ □□□□ □□ □□□□ □□□□ □□□□.

• *Feature*

SMQT

## PRODUCT FEATURE



*Metal key-reset emergency button*

*Fireproof ABS material shell, net weight 40g*

*Suitable for access control and alarm system*

*Metal key-reset and wall-mounted*

*NO/NC contact output*

*2 years quality warranty and welcome OEM*

• *Packaging & shipping*

SMQT



## • Office show

SMQT®



## • Exhibition

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair