

SMQT OLED Screen Access Control Card Reader EA-92DK

- Unique appearance design.
- OLED screen.
- ID (125Khz) card type
- WG26/34 communication(optional)
- Short-circuit protection/lightning protection
- Plug type connection/easy to intallation



ID 125Khz

● Parameter

SMQT®

	□□□□□
□□□	125) □□□□□□ □□□□ □□□□□ □□□(KHZ) □□ □□□□□□ □□□□□ □□□□□
□□□□□	EA-92DK
□□□	96 × 96 × 22 (□□□)
□□□□□ □□□□□□□□ □□□□□	12V ± 3VDC
□□□□□□ □□□□□□□	□□□□□□□ & It1 □W
□□□□□□□ □□□	125KHZ □□□□
□□□□□□□□□ □□□	60MM
□□□□ □□□□□□□	150M
□□□□□□□□□ □□□□□	WG26 / WG34
□□□ □□□□	1bit / □□□□
□□□□□□□□ □□□□ □□□□□	4 □□□bit / 8 □□□bit
□□□□□	□□□□□□□□ □□□□ / □□□□□
□□□□□□ □□	□□□□□□□□□□
□ □□□□	□□□□□□□□□ □□□□ □□□□□□ □□□□□ □□□□□
□□□□□□ □□□□□ □□□□	-30 °C ~ 65 °C
□□□□□□ □□□□□	0.2KG

● Introduction

SMQT®



EA-92DK

OLED screen ID(125KHZ) Wiegand card reader

ID(125Khz)Card type

Wiegand 26/34communication(optioanl)

OLED Dispaly Screen

Laser carving and wer-resisting keyboard

*High safety,short-circuit and
lightning protection,tamper device*

Plug type connection, easy to install

2 years warranty, Welcome OEM

• *In-kind shooting*

SMQT



• Installation

SMQT®



• Packaging & shipping

SMQT®

□□□□□□□□ □□□□□□ □□□□□	
□□□□□□ □□□	125) □□□□□□ □□□□ □□□□□ □□□KHZ) □□□□□ □□□□ □□□□□□ □□ □□□□□□ EA-92DK
□□□□□□	36 □□□□□□□□ □□ □□□□ □□□□□□□□ □□□□
□□□□□□ □□□□□ □□□	45 * 32 * 32 (□□)
□□□	9KG



● Office show

SMQT®



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair