

Door release button

Stainless steel panel ,steel button durable

Wrie drawing finished

500000 times mechanicak test

Suitable access control sytem

2 models optional



• Parameter



品名	SMQT 门磁 / 门磁按钮
型号	EA-23
尺寸	EA-23A: 91 × 28 × 20 (mm) EA-23B: 88 × 88 × 20 (mm)
额定电压	3A 36V 直流
额定电流	3A 36V 直流
触点类型	EA-23A: NC / COM EA-23B: NO / NC / COM
使用寿命	500,000 次
工作温度	-20 °C ~ 55 °C (14-131F)
重量	EA-23A: 0.065KG EA-23B: 0.1KG

• In-kind shooting







EA-20A



EA-20B



Superior Design **NO.1**

Stainless steel wire drawing panel, high temperature resistant shock, do not fade.



Components **NO.2**

PC rubber seal production, full seal lock core.



<p>□□□□□□ □□□□□□ □□□□□</p>	
□□□□□ □□□	EA-23 □□ □□□ □□□ / □□□□□ □□□□ □□ □□□□□□ □□□□□ □□□□□□
□□□□□□	100 □□□□□□ □□ □□□□ □□□□□□ □□□□
□□□□□□ □□□□□ □□□	47 * 37 * 29 (□□)
□□□	7 ~ 12kg □



● Office show

SMQT®



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair