

# STROBE LIGHT

Fireproof ABS housing,DC 12V Power supply, 68t/m strobe speed, color(red/blue/green/orange optional).





## • Parameter



品名	LED 闪光器
型号	EB-169
规格	73ø × 44 (mm)
额定电压	12V 直流
额定电流	200mA
触点形式	NO / NC
闪光频率	68t / min
闪光颜色	(可选) 红色 / 蓝色 / 绿色 / 橙色
外壳材料	ABS 塑料
重量	0.01KG

## • Introduction





• *Feature*

**SMQT**



## *Strobe Alarming light*

- 1.Suitable for higher-end stroboscopic system model.
- 2.Chimney texture design improves the light diffusion effect.
- 3.Flash 90 times per minute.
- 4.The high-quality LED light.
- 5.IP44 protection grade.
- 6.AS+ABS shell.

## *LED guide plate*

Select high-quality materials, strict quality control, production of exquisite workmanship. This assures the mixer durable products.



## *Combination of fixed base plate*

Base plate is divided into two pieces, shape material are exactly the same.

Also can use double post stent paste on the wall.

## *Strobe indicator light*

LED lights, flash frequency up to 90 times a minute.





# • Packaging & shipping

SMQT®

产品包装及运输信息	
产品型号	EB-169
数量	100
包装尺寸 (mm)	39 * 30 * 36
重量	11KG



# • Office show

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....