

Door release button

Stainless steel panel ,steel button durable

Wrie drawing finished

500000 times mechanicak test

Suitable access control sytem

2 models optional



• Parameter



	□□□□□□	
□□□□□□ □□□	EA-23A	EA-23B
□□□□□□ □□□□□	□□□□□□ □□□□□□□ □□□□□□ □□□□□	□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□
□□□□□□□□□ □□□□□□□	3 □□□□ □□□□A36VDC □□□□□□□□	3 □□□□ □□□□A36VDC □□□□□□□□
□□□□□□□ □□□□□□	□□□□□□□ NC / COM	NO / NC / □□□□□□□ COM
□□□□□□ □□□ □□□□□□	500□000 □□□□□□ □□□□□□□□ □□□□	500□000 □□□□□□ □□□□□□□□ □□□□
□□□□□□	□□□□□□□ □□□□□ □□□□□ □□□□□□	□□□□□□□ □□□□□ □□□□□ □□□□□□
□□□□ □□□□□	□□□□□ □□□□□□□ □□□□□□ □□□□ □□□	□□□□□ □□□□□□□ □□□□□□ □□□□ □□□

• Introduction



□□ □□□□□ □□□□□□□ □□□ □□□ □□ □□□□□□ □□ □□□□□□ □□□□□□ □□□ □□ □□□□□□ □□□□□ □□□ □□ □□□□□□□□ □□□□□ □□□□□□□.





EA-20A



EA-20B

Superior Design NO.1



Stainless steel wire drawing panel, high temperature resistant shock, do not fade.



Components NO.2

PC rubber seal production, full seal lock core.







● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....