

# Converter USB to RS485

Compatible with EIA/TIA RS-232,RS-485 standard

Interface:USB interface

RS-485 interface

Transmission medium:normal cables,twisted-pair cables or shielded cables

57.6kbps in 1200m transmission speed(short distance can reach 230kbps)

Transmission distance:5m(USB port)

1200m(RS485 port)

7-12V input voltage




## Parameter

SMQT

Model	USB to RS485 EA-02
Part Number	EA-02
Dimensions	94×35×18mm
Interface	EIA / TIA RS-232C / RS-485
Ports	USB / DB9 / RS-485 / DB9
Power	5V / 95mA
Transmission Rate	57.6kbps / 230kbps / 1200m
Transmission Distance	5m (USB) / 1200m (RS-485)
Input Voltage	7-12V
Operating Temperature	-10°C / 85°C
Weight	0.116kg

## In-kind shooting

SMQT



• *Feature*



**EA-02**

**Converter USB to RS485**  
**Interface compatible with EIA**  
**/ TIA RS-232C, RS-485 standard**

**Electrical Interface:**

**USB port, DB9 female connector**  
**RS-485 side, DB9 male connector**

**Transmission rate:**

**Up to 57.6kbps (close up to 230kbps**  
**rate) in the 1200m distance**

**Transmission distance:**

**5 m (USB end) 1200 m (RS-485 terminal)**

**Suitable for data transmission system**

**0.116kg weight**

**Welcome OEM and 2 years quality warranty**



# Application

SMQT

switch power supply



Door release button



Access control keypad

Converter USB to RS485 EA-02



PC

# Packaging & shipping

SMQT

	□□□□
□□□□	□□□□□□□□ USB□RS485 EA-02
□□	100pcs /□□
□□□□	53 * 40 * 37□cm□
□□	12kg



SURE WE CAN



WE LOGISTICS



顺丰速运



## • Office show

SMQT®



## • Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....