

Plastic door release button

- Fireproof ABS panel
- 100000 times mechanical test
- Suitable access control system
- Bottom case is optional
- 3 appearance model optional



• Parameter



| | |
|--------|------------------|
| | □□ |
| □□□□ | □□□□□□□□ |
| □□ | EA-26A / B / C |
| □□A | 86 * 86 * 20□mm□ |
| □□B | 86 * 86 * 20□mm□ |
| □□C | 86 * 86 * 30□mm□ |
| □□□□ | □□□□□□□□ |
| □□□□ | □□□□□□□□3A36VDC |
| □□□□□□ | □□□□□□□□ |
| □□ | □□□□□□□□□□□□ |
| □□□□ | □□□□□□□□□□ |

• Introduction



□□□□□□□□□□ABS□□□□□□□□□□□□□□□□□





EA-26A



EA-26B



EA-26C

Plastic Door release button


Fireproof ABS plastic panel

Passed 100000 times mechanical test

Suitable for access control system

Embedded bottom box is optional

2 years warranty, welcome OEM



Switch power supply



Converter
(RS232 to RS485)



Door release
button EA-26



Standalone
controller



PC

• *Packaging & shipping*

SMQT®



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair