



• Parameter

SMQT®

El número de rayos	2/4/6/8/10
Distancia (interior)	5m / 10m / 20m / 30m / 40m / 60m
detector de altura	37/72/125/167 / 209 cm
corriente de funcionamiento	30mA ~ 80mA
Tensión de funcionamiento	DC12V ~ DC18V
retroalimentación en tiempo	& Amp; lt; 1.5ass
contacto del relé	3A, AC120V / DC24V
Ajustar el ángulo	180° ± 90°
temperatura ambiente	-35 °C ~ 55 °C

• Introduction

SMQT®



El haz de infrarrojos doble movimiento detector cortina se utiliza con ventana, puerta con el sistema de alarma.

El sensor de haz como la valla sensor láser de trabajo.

With tamper resistant, anti interference, high reliability

With anti demolition, anti interference function, when there is an intruder to remove or damage, the immediate alarm model, the



Tamper switch, when the invaders destroyed or disassembled, tamper switch will trigger the alarm immediately bounce.



Waterproof moisture-proof function, can adapt to bad weather

Because this product is used in indoor and outdoor, the use of universal is relatively strong. The products according to the scientific design, with rain proof structure for installation of indoor and outdoor machine of supermarket zone, waterproof, dust-proof, wind and rain, wind and rain does not matter, can adapt to all kinds of bad environment and weather.



Aluminum alloy material design: beautiful and reliable structure

Main body outer shell is made of high quality aluminum alloy material, and the surface of the polishing treatment, bones and durable; the import filter to visible light good filtering function.



Installation and debugging is convenient, 3 when the warning distance can be adjusted

After the installation of the fixed infrared beam of the launch and reception of vision can be achieved 360 degrees of rotation, three block adjustable warning distance, convenient and sensitive.



The bracket adopts the latest sliding cover to be designed, and the installation is more convenient. Disassembly more secure.



far (15-30m)
in (5-15m)
near (0-5m)

3 warning distance adjustable map

Two Beams



Four Beams



Six Beams




Eight Beams



Ten Beams



Infrared Barrier



• *Feature*



SMQT

vallas infrarrojos (también llamados barandillas "infrarrojos") es una especie de tiro de infrarrojos activos, utilizando multi-haz

La luz infrarroja del transmisor de radio al receptor a "transmisor de baja frecuencia, tiempo de detección de la División"

Modo emite luz infrarroja, una vez que la persona o el objeto que bloquea cualquier haces de luz adyacentes en dos o más emitida por el transmisor es superior a 30 ms, la señal de alarma de salida del receptor inmediatamente cuando hay animales pequeños o pequeños

objetos de distancia de donde un rayo de sol, la alarma no será señal de alarma de salida.



• *Packaging & shipping*



Wireless infrared beam sensor

Mounting screw

User manual

Packaged box



• *Office show*

SMQT



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....