

Key-reset emergency button

fireproof ABS material shell, key-reset, suitable
for access control and alarm system.

SMQT



• *Parameter*


SMQT

Dimensión	54 * 54 * 32 (mm)
salida de contacto	NO C
corriente de trabajo	3A @ 36V DC
modo de reposición	reinicio clave
modo intallation	Montado en la pared
aplicaciones	Escapar de la puerta, control de acceso
materiales	ABS a prueba de fuego
Peso neto	40g

• *Introduction*

SMQT

PRODUCT PICTURE



El interruptor pulsador de emergencia de plástico a prueba de fuego se

utiliza con la salida de pánico panel de alarma de la puerta de emergencia.

• *Feature*

SMQT

PRODUCT FEATURE



Metal key-reset emergency button

Fireproof ABS material shell, net weight 40g

Suitable for access control and alarm system

Metal key-reset and wall-mounted

NO/NC contact output

2 years quality warranty and welcome OEM

• *Packaging & shipping*

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair