

Nombre del producto	Botón de interruptor de puerta de inducción de infrarrojos
Modelo	EA-21A / EA-21B
Dimensión	EA - 21A: 85 x 52 x 25 (mm) EA - 21B: 86 x 86 x 39 (mm)
Voltaje de entrada	DC 12V
ángulo de inducción	& Lt; 115°
Capacidad de potencia	& Lt; 4W
Distancia de inducción	10 ~ 20 cm
Salida de contacto	NO / NC / COM
Prueba mecánica	500.000 veces prueba
Rango adecuado	Sistema de control de acceso
Color	gris negro
Uso	Sistema de control de acceso y sistema de interfono
Humedad relativa	0 ~ 95%
Entorno temprature	-20 °C -50 °C
Peso neto	EA - 21A: 0,046 kg EA - 21B: 0,106 kg



Botón de salida de control de acceso incluido botón pulsador,

**interruptor de botón táctil, botón de puerta infrarroja
utilizado para salir y entrar.**

• *Feature*

SMQT



EA-21A



EA-21B



No touch infrared induction door release button

500000 times mechanical test



LED back light indication

Stainless steel panel,wire drawing finished

Welcome OEM&ODM

• Installation

SMQT®



• Packaging & shipping

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair