

• *Parameter*

SMQT

Dimensiones	224L * 224W * 83H (mm)
La tensión de salida	DC12V
Corriente de salida	5A
Potencia de salida	60W
Ajuste de retardo	0 ~ 10s
Especialmente diseñado	Vidrio de doble panel, transformador de cobre, cáscara de acero
función de seguridad	Protección contra cortocircuito, protección contra descarga de carga
Alcance	Control de acceso, sistema de intercomunicación de edificios
Puede ser accedido por la batería de reserva	12V 7AH

• *Introduction*

SMQT



La fuente de alimentación ininterrumpible impermeable (UPS) es la fuente de alimentación de 12v variable hecha y usada con el sistema de control de los accesos de la puerta y el sistema de alarma.

• Dimension

SMQT



• Feature

SMQT



Access control switch power supply

AC 220V input, DC 12V 5A output

0~10s time relay (adjustable)

Short circuit protection, charge protection

Double face PC board, pure copper

transformer, steel shell


Suitable for access control and

doorphone system

12v 7Ah backup battery optional

Welcome OEM and order sample test

2 years quality warranty



• *Packaging & shipping*



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....

How to cooperation

SMQT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer