Características del producto

¿Qué características de nuestro sensor de haz ABT?

1. Integrated structure designed to be able to work in harsh environment.Anti-lightning circuit design.

2. When confronted with fog or inclement weather, the detector will automatically increase the sensitivity (AGC circuit).

3. Built-in integration of optical telescopes, use the professional anti-jamming optical jacket.

4. High Power Infrared receiver on the tube, Low-power digital. Horizontal/vertical Optical angle easy to adjust, easy to calibrate.

5. Warranty for 2 years. welcome for OEM/ODM.

Imagen del producto

TIRO EN ESPECIAL

ACTIVE INFRARED SENSOR
Transmit

ACTIVE INFRARED SENSOR
Receive

POWER
ACTIVE INFRARED
Transmit

ACTIVE INFRARED SENS

POWER
ACTIVE INFRARED

1 2 3 4 5 6 7
POWER
FREE
6 7
TAMPER

SOLICITUD



Artículos Relacionados

MOSTRAR CASO

Información de la empresa

SHOW DE OFICINA

CLIENTE

EXPOSICIÓN

CERTIFICADO

CÓMO COOPERAR



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

Preguntas más frecuentes

Preguntas más frecuentes

P: ¿Puedo tener un pedido de muestra?
UN:Sí, estamos dispuestos a ofrecer la prueba de muestra de la orden para usted para la prueba de calidad. Las muestras mixtas son aceptables.

P: ¿Cuál es el plazo de entrega?
UN:La muestra necesita 1-3 días laborables, tiempo de producción en masa necesita 10-15 días laborables para la orden menos que 5000pcs.

P: ¿Tiene algún límite de MOQ?
UN:EXW MOQ es 100pcs debajo de la caja en blanco.

P: ¿Cómo se envían las mercancías y cuánto tardan en llegar?
UN:La muestra le será enviada por el servicio de envío opcional (correos, aire y mar). El plazo de entrega Depende del servicio de envío.

P: ¿Cómo procederemos si tengo el logo para imprimir?
UN:En primer lugar, vamos a preparar la obra de arte para la confirmación visual. Si el color y la posición son correctos, Hacer el muestreo en primer lugar de fábrica de impresión de seda y tomar fotos para su segunda confirmación antes producción en masa.

P: ¿El panel de alarma funciona con cualquier sensor?
UN:El panel de alarma puede trabajar con todos los detectores con cable de contacto seco y detector inalámbrico, incluyendo casi todos
De los sensores inalámbricos de los fabricantes chinos. La codificación inalámbrica y decodificación es EV1527 o Nuestros sensores inalámbricos.