

● Parameter

SMQT

Dimensions	65 * 30 * 17 (millimètre)
Tension de fonctionnement	3.7V / 200mAh
Temps de charge	> 12h
Autonomie de la batterie à pleine charge	≤ 1 an
écart	40 ± 5 mm
Fréquence radio	315MHZ / 433MHZ / 868MHZ
Distance de transmission	≤100m (en plein air)

● Introduction

SMQT

Matériau du boîtier ignifuge, sécurité et stabilité.

Stable, performance stable, vert.

Capacité de transmission flexible, options de stabilité de fréquence.

La serrure de capteur de contact de porte sans fil avec une fréquence d'alarme de 433 MHz ou 868 MHz, appropriée pour une porte ou une fenêtre en bois.

● Dimesion Picture

SMQT



● Installations

SMQT

Wireless Magnetic Contact Sensor



1 Emergency Button

2 The magnetic flip-flop

3 LED Light

The unique door/window magnetic contact with the emergency button in security industry . make sure more safety for user;
 · Induce the door or window open or close and gap in 10mm, the wireless transmission up to 80 meter.



Stable, stable performance, green.
 Flexible transmission capacity, frequency stability options.

● Features

SMQT



Multifunctional, the new model, patented design.

Tradition, stability, durability
 Imported touch reed switch
 Fire-retardant casing material, security and stability.
 Comes with emergency button, an accessory, a variety of uses.



Built-in battery, used or release anytime.

Smart power-saving built-in battery design, the sensor also can work at home even though power cut out, comes with high-energy battery, sustainable use of uninterruptible power supply

Reed , A special magnetic switch

Imports Reed touch than the general mechanical switch of simple structure, small size, high speed, long working life, and strong anti-shock load, high operating reliability.



● Packing list

SMQT

Qté	200 / boîte
Spécifications d'emballage	40 * 30 * 20 (cm)
Poids d'emballage	10Kg

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair