

Key-reset emergency button

fireproof ABS material shell, key-reset, suitable for access control and alarm system.



SMQT

• *Parameter*

SMQT

spécification	
Nom du produit	Bouton d'urgence de réinitialisation Key
modèle du produit	EB-128
Taille du produit	86 * 86 * 32 (mm)
Courant de charge	1.25A
Tension de fonctionnement	12VDC
Interrupteur de pression	250VDC
Mode Réinitialiser	Réinitialiser Key
Température de fonctionnement	-10 °C ~ 80 °C 0-85% d'humidité
Mode Contactless	Normalement ouvert normalement fermé

• *Introduction*

SMQT

PRODUCT PICTURE




Le bouton clé de la panique d'alarme reste utilisé avec le système de

contrôle d'accès et le système d'alarme en cas d'urgence.

• *Dimension*

SMQT



• *Feature*

SMQT

PRODUCT FEATURE



Key-reset emergency button

Fireproof ABS material shell

Suitable for access control and alarm system

NO/NC contact output

Metal key-reset and wall-mounted installation

2 years quality warranty and welcome OEM

• *Packaging & shipping*

SMQT



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....