

# Emergency button with key

*Stainless steel panel with key*


*Waterproof, unduplicate key*

*100000 times mechanical test*

*Suitable for access control system*

*Concealing box is optional*

**SMQT®**



## • Parameter

**SMQT®**

Paramètre	
Nom du produit	Bouton de déverrouillage
Modèle	EA-25
Dimension	88 x 88 x 20 (mm)
Standard Structure	Panneau en acier inoxydable avec clé
Courant nominal	3A 36V DC Max
Sortie de contact	NC / COM
Test mécanique	100.000 fois test
Optionnel Accessoires	Boîte de dissimulation
Plage appropriée	Porte ouverte
Couleur	Gris argenté
Type de sécurité	Imperméable, Défense à Dupliquez la clé
Usage	Système de contrôle d'accès Et système de portier
Humidité relative	0 ~ 95%
Environnement température	-20 °C -55 °C
Matériau du panneau	Panneau en acier inoxydable, Treillis fini
Poids net	0,16 kg

## • In-kind shooting

**SMQT®**



• *Feature*

SMQT®



*Stainless Emergency  
Door Release Button  
EA-25*

**LED light indicator  
Waterproof appearance and Durable  
Anti-duplicated keys**

**Stainless steel panel, wire  
drawing oil processing.**



## • Packaging & shipping

SMQT®

Liste des emballages	
Nom du produit	EA-25 Bouton de déverrouillage
Quantité	100 pièces par carton
Taille du carton	47 * 37 * 29 (cm)
Poids	17kg



## • Office show

SMQT®



## ● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....