

Emergency button with key

Stainless steel panel with key


Waterproof, unduplicate key

100000 times mechanical test

Suitable for access control system

Concealing box is optional

SMQT



• Parameter

SMQT

Dimensioni	88 * 88 * 20 (mm)
Struttura standard	pannelli in acciaio inox chiave, in acciaio inox
Prestazioni elettriche	Corrente massima durata nel tempo 3A36VDC
nodo di uscita	NC / COM
prova di durata	Centomila volte invecchiamento testati
per Tipo	cornici vuote e quadro elettrico sommerso
Tipo di protezione	chiavi acque superficiali e anti-copia
Panel Processing	pannelli in acciaio inox spazzolato,

• Introduction

SMQT

Il pulsante apriporta di controllo di accesso è il pulsante di emergenza apriporta per l'interruttore di pulsante di uscita utilizzata per il sistema di controllo degli accessi.



• *Feature*

SMQT



*Stainless Emergency
Door Release Button
EA-25*

**LED light indicator
Waterproof appearance and Durable
Anti-duplicated keys**

**Stainless steel panel, wire
drawing oil processing.**



• *Installation*

SMQT®

Switch Power Supply



• *Packaging & shipping*

SMQT®



• *Office show*

SMQT®



• *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair