

Door release button

Aluminum panel, stainless steel button

Standblast finished

500000 times mechanical test

Suitable for access control system



SMQT

• Parameter

SMQT

parametro	
Pangalan ng Produkto	Aluminum panel door release / switch butones
modelo	EA-22
sukat	EA-22A: 86 × 50 × 20 (mm) EA-22B: 86 × 86 × 20 (mm)
pamantayan kaayusan	Hindi kinakalawang na asero button at haluang metal-al panel
rating kasalukuyang	3A 36V DC Max
Mechanical test	500.000 beses test
Angkop na hanay	Access control system
kulay	Sliver-gray
paggamit	Access control sysetm bukas na pinto
Kamag-anak Humidity	0 ~ 95%
kapaligiran temprature	-20 °C -55 °C (14-131F)
panel Material	Aluminum panel, tilandoy ng buhangin Finished
net timbang	EA-22A: 0.16kg EA-22B: 0.25KG

• In-kind shooting

SMQT





EA-22A



EA-22B



EA-22A



EA-22B

Advantages

Aluminum panel with the sand blast treatment

Pure copper plating nickel button


500,000 times mechanical test

• Application

SMQT



Switch power supply



• Packaging & shipping

SMQT

listahan packaging	
Pangalan ng Produkto	EA-22 Aluminum panel pinto release / switch button
Dami	100 PC ng bawat karton
carton laki	47 * 37 * 29 (cm)
timbang	17 ~ 26kg



WE LOGISTICS



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....