2017 Ceiling Mounted standalone Co Sensor Baterya-Pinatatakbo Carbon Monoxide Alarm, standalone LCD Co Detector



Parameter	
Pangalan ng Produkto:	Ceiling Mounted standalone Co Sensor Battery-Operated Carbon Monoxide Alarm, Standalone LCD Co Detector
Modelo:	EB-120s
laki ng kahon ng kaso:	10.6 * 10.6 * 4.8 (mm)
Power supply:	3 AA size 1.6V battery
Static kasalukuyang:	≤200uA
Kasalukuyang alarm:	≤ 75mA
Buzzer volume:	85dB
Antas ng alarm:	50ppm, alarma sa loob ng 60min-90min 100ppm, alarma sa loob ng 10min-40min 300ppm, alarma sa loob ng 3min
Temperatura ng Paggawa:	-10 ℃~ 55 ℃
Paggawa ng humidty:	20% ~ 90%
Tagal ng buhay ng baterya:	& lt; 1 taon
Tampok:	Standalone na nagtatrabaho
Kulay:	White
Timbang:	0.15kg

Anong mga tampok ng Ceiling Mounted standalone Co Sensor Battery-Operated Carbon Monoxide Alarm, standalone LCD Co Detector

EB-120S?

1.Standalone Carbon Monoxide Alarm detector

2.Power supply 3 AA size 1.6V battery

3.Standby current<200uA, alamr current<75mA

4.LCD display CO gas concentration

5.Built-in alarm 85dB alarm siren

6.Suitiable for home ,office , store , warehouse place use

7.Battery life time<1 years

8.2 years warranty , welcome OEM

ANO ANG EB-120S TINGNAN KATULAD?

DO NOT PAINT
ALARM
OPERATE

Carbon Monoxide Detector

DO NOT PAINT
ALARM
OPERATE

Carbon Monoxide Detector
EXCELL
SUPER HEAVY DUTY

DO NOT PAINT
ALARM
OPERATE

For maximum protection we suggest an alarm be installed on each level of a multilevel home including every bedroom, finished attics and basements.
WHERE TO INSTALL YOUR
Carbon Monoxide Alarms
Made in China

Simple installation
Powered by 3x1.5V AA batteries
Loud 85db alarm
Permanent carbon monoxide sensor
Flash alarm indicator(red)
Low battery signal

PAANO TUNGKOL SA EB-120S STANDARD PACKGE?



PAANO GAMITIN ANG ITO?

About Carbon monoxide:

Under normal conditions, carbon monoxide is colorless, odorless, odorless, insoluble in waterc,which make it very easy to happen gas poisoning case.

Common environmental CO gas concentration	
Concentration	**Source**
0.1 ppm	Natural level (MOPITT)
0.5 to 5 ppm	Average level of the average family
5 to 15 ppm	The home is close to the gas stove
100 to 200 ppm	Exhaust gas of car tail
5000 ppm	The vent of the firewood at home
7000 ppm	Car waste gas that has not been treated with a catalytic converter

Know gas, no poisonous case

Kitchen **Gas station** **Gas laboratory**

Ang EB-120S standalone CO gas detector ay malawakang ginagamit sa layunin ng seguridad sa bahay, Maaaring maiwasan ang mabisang gawain.

PAANO TUNGKOL SA IBANG PILIPINAS?

PAANO TUNGKOL SA ATING COMPANY?

CUSTOMER

PAG-IBIG

CERTIFICATE

PAANO MAGAGAMIT?

Trade terms:	**EXW**
Payment terms:	**T/T, Western union, Paypal etc**
Delivery time:	**Normal order within 7 days, bulk order 10-15days**
Packing:	**Neutral paper box and paper carton**
Shipping:	**Express company or by sea, by air or appointed by buyer**

FAQ

Q: Maaari ba akong magkaroon ng sample order?
A: Oo, handa kaming mag-alok ng sample sample order sa iyo para sa kalidad ng pagsubok. Ang mga halo-halong sample ay katanggap-tanggap.
Q: Ano ang lead time?
A: Ang sample ay nangangailangan ng 1-3 araw ng trabaho, ang oras ng mass production ay nangangailangan ng 10-15 araw ng trabaho.
Q: Ano ang iyong MOQ?
A: Walang limitasyon sa MOQ, mas maraming dami ang mas maraming diskwento.
Q: Paano mo ipapadala ang mga kalakal at kung gaano katagal dumating ito?
A: Ang sample ay ipapadala sa iyo sa pamamagitan ng opsyonal na serbisyo sa pagpapadala (courier, air, at dagat), o itinalaga ng mamimili, 7-15 araw.
Q: Paano namin magpapatuloy ang order kung mayroon akong logo upang i-print?
A: Una, maghahanda kami ng likhang sining para sa visual na kumpirmasyon. Kung ang kulay at posisyon ay tama, gagawin muna namin ang sampling mula sa pabrika ng sutla sa pag-print at kumuha ng litrato para sa iyong pangalawang kumpirmasyon bago ang produksyon ng masa.