

● Parameter

SMQT®

detalye		
number ng produkto	EA-23A	EA-23B
Standard Structure	Hindi kinakalawang na asero panel, metal buttons	Hindi kinakalawang na asero panel, metal buttons
electrical Performance	Kasalukuyang maximum na tibay 3A36VDC	Kasalukuyang maximum na tibay 3A36VDC
Makipag-ugnay sa output	NC / COM mga contact	NO / NC / COM mga contact
tibay test	500,000 beses aging nasubok	500,000 beses aging nasubok
para sa Uri	Nauukol guwang frames	Nauukol guwang frames
panel Processing	Brushed hindi kinakalawang na asero panel	Brushed hindi kinakalawang na asero panel

● Introduction

SMQT®

Exit button hitsura disenyo, brushed hindi kinakalawang na asero panel materyal. Button / metal silindro ginawa ng hindi kinakalawang na asero materyales upang mapahusay produkto katatagan, mas malakas at mas matibay.

Panloob na paggamit ng mga imported na hilaw na materyales, Bayer PC plastic selyadong produksyon, mataas na temperatura shock at mahirap na baguhin.

● Dimesion Picture


SMQT®



● Installations

SMQT®

Switch Power Supply



● Features

SMOT

Superior Design NO.1

Stainless steel wire drawing panel, high temperature resistant shock, do not fade.



Components NO.2

PC rubber seal production, full seal lock core.

● Packing list

SMQT



Listahan packaging

	EA-23A	EA-23B
number ng produkto	EA-23A	EA-23B
Dami	100 / box	100 / box
Packing Mismong	46.5L * 37.5W * 28H (cm)	46.5L * 37.5W * 28H (cm)
Packing timbang	6.3Kg	10.1Kg



● Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....