

Plastic door release button

Fireproof ABS panel

100000 times mechanical test

Suitable access control system

Bottom case is optional

3 appearance model optional

SMQT®



• Parameter

SMQT®

parametro	
Pangalan ng Produkto	Plastic pinto release / switch button
modelo	EA-26
sukat	A: 86 × 86 × 20 (mm) B: 86 × 86 × 20 (mm) C: 86 × 86 × 30 (mm)
pamantayan kaayusan	Fireproof ABS pabahay
rating kasalukuyang	3A 36V DC Max
Makipag-ugnay sa Output	A: NC / COM B: NC / HINDI / COM C: NC / HINDI / COM
Mechanical test	100.000 beses pagsusulit
Opsyonal aksesorya	pagkukubli Box
Angkop na hanay	Bukas na pinto
kulay	Puti, kulay abo
paggamit	Access control system
Kamag-anak Humidity	0 ~ 95%
kapaligiran temprature	-20 °C -55 °C
panel Material	pagpipinta Fireproof materyal
net timbang	A: 0.064kg B: 0.07kg C: 0.052kg

• In-kind shooting

SMQT®





EA-26A



EA-26B



EA-26C

Plastic Door release button

Fireproof ABS plastic panel

Passed 100000 times mechanical test

Suitable for access control system

Embedded bottom box is optional

2 years warranty, welcoem OEM

Application

SMQT



Switch power supply



Converter (RS232 to RS485)



Door release button EA-26



Standalone controller



PC

Packaging & shipping

SMQT

listahan packaging	
Pangalan ng Produkto	EA-26 Plastic pinto release / switch button
Dami	100 PC ng bawat karton
carton laki	47 * 37 * 29 (cm)
timbang	8kg



WE LOGISTICS



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair