

Specification	
Product name	Digital Beams Active Infrared Detector
Model	ABH
Detecting distance	Indoor :150m 300m 450m 600m 750m Outdoor:50m 100m 150m 200m 250m(optional)
Operating voltage	13.8~24VDC 11~28VAC
Operating current	40-65mA
Indication speed	50~700m/sec
Anti-demolition output	NC
Environment temperature	-20°C~+50°C
Alarm output	NO/NC
Level adjustment	180°±90°
Vertical adjustment	±10°
Color	Black
Material	PC resin



1. Sealed integration structure is able to working in the hash environment.
2. Confronted with fog or inclement weather, the detectors will automatically regulate the sensitivity (AGC circuit).
3. Easily adjust and calibrate the horizontal/vertical optical angle.
4. Built-in integrated optical telescopes, use the professional anti-jamming jacket.
5. Anti-lightning circuit designed.
6. High-power infrared receiver on the tubes, low-power digital.

Below is ABH's pictures:



Specification	
Product name	Digital Beams Active Infrared Detector
Qty	8 pcs/Carton
Carton size	61×50×45(cm)
Weight	25kg





● Exhibitions



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....