

Plastic door release button

Fireproof ABS panel

100000 times mechanical test

Suitable access control system

Bottom case is optional

3 apperance model optional

SMQT®



• Parameter

SMQT®

Spcification	
Product name	Plastic Door Release button
Model	EA-26A/B/C
Dimensions A	86 * 86 * 20 (mm)
Dimensions B	86 * 86 * 20 (mm)
Dimensions C	86 * 86 * 30 (mm)
Standard Structure	Fireproof materials mixed resin
Electrical Performance	Current maximum durability 3A36VDC
Durability test	Hundred thousand times aging tested
For Type	Applicable hollow frames and submerged electrical box
Panel Processing	Fireproof material naked surface treatment

• Introduction

SMQT®

The door access control exit button switch with ABS plastic material and work with the access control system.





EA-26A



EA-26B



EA-26C

Plastic Door release button


Fireproof ABS plastic panel

Passed 100000 times mechanical test

Suitable for access control system

Embedded bottom box is optional

2 years warranty, welcome OEM



Switch power supply



**Converter
(RS232 to RS485)**



**Door release
button EA-26**



**Standalone
controller**



PC

• *Packaging & shipping*

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

