

Specification		
Product name	One Channel Remote Control	
Product number	EA-11-1-12	EA-11-1-24
Operating Voltage	DC12V	DC24V
Operating temperature	-20 °C ~ 80 °C	-20 °C ~ 80 °C
Reception frequency	433MHZ 315MHZ	433MHZ 315MHZ
Receiver sensitivity	-105dB	-105dB
Encoding type	Learning pairing button	Learning pairing button
Output current	≤ 7A	≤7A
Transmitter maximum number of connections	30	30

● Introduction


Wireless digital identification technology, separate password for each switch, will not interfere with each other.

Radio frequency remote control, no direction, the signal can pass through walls.

No wiring, save wiring costs, saving time and effort.


Learning multifunctional, equipped with a simple remote control, you can choose to move the interlocking self-locking.

● Dimesion Picture




● Installations

SMQT®



● Features

SMQT®



● Packing list

SMQT®

One Channel Remote Control EA-11-1-12/24		
Product number	EA-11-1-12	EA-11-1-24
Qty	100 / box	100 / box
Packing Specifications	44L * 31W * 30H (cm)	44L * 31W * 30H (cm)

Packing weight	8.6Kg	8.6Kg
----------------	-------	-------



● In the Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....