

LED backlight door release button

- Stainless steel and aluminum panel
- Stainless steel button with LED light
- Blue/red/green led light color optional
- 100000~500000 times mechanical test
- Suitable for access control system



Parameter



Specification	
Product name	LED backlight door switch/open button
Model	EA-27
Dimension	EA-27A:91×28×20(mm) EA-27B/D:86×86×20(mm) EA-27C:86×50×20(mm)
Standard Structure	Stainless steel panel, Steel button
Rating current	3A 36V DC Max
Contact Output	NO/NC/COM
Mechanical test	500000~100.000 times test
Optional Accessories	Concealing Box
Suitable range	Open door button
Color	Silver/grey
Usage	Access control system
Relative Humidity	0~95%
Environment temprature	-20 °C-55 °C
Panel Material	Stainless steel or Aluminum panel, wire drawing finished
Net weight	EA-27A:0.072kg EA-27B:0.106kg EA-27C:0.132kg EA-27D:0.194kg

In-kind shooting





• *Feature*

SMQT



EA-27A



EA-27B



EA-27C



EA-27D



THE ONE

Strong stability

PC rubber seal lock core,
resistance to heat shock,
500, 000 times mechanical test
qualified, suitable for all
Access control system



THE SECOND

Superior Design

Simple and beautiful appearance,
stainless steel wire drawing
panel.



THE THIRD

OEM

LED backlight's color red/blue
green optional, print logo or
other service

• Application

SMQT®

Switch Power supply



Door release
button EA-27



Converter
(RS232 to RS485)



Standalone
controller



PC

• Packaging & shipping

SMQT®

Packaging list

Product name	EA-27 LED door release button
Qty	100 pcs per carton
Carton size	47*37*29(cm)
Weight	8~20kg



TNT

sure we can



WE LOGISTICS™

SF EXPRESS
顺丰速运

FedEx
Express

EMS

DHL

Office show

SMQT®



Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....