


| Specification | |
|------------------------|-------------------------------|
| Product name | Wireless Magnetic Door sensor |
| Model number | EB-130 |
| Operating Voltage | 12V |
| Operating distance | 40 ± 5 (mm) |
| Transmission frequency | 315MHZ / 433MHZ |
| Transmission distance | ≤100m |


Wireless door sensor is a kind of security systems accessories, a very popular device, wireless door sensor work very reliable,compact, especially the work by wireless way, makes the installation and use very convenient and flexible.





● Installations

SMOT





Function:To detect the door, window, drawer, ambry is illegally open or move.

Features:Triggered under the armed state, there will be alarm signal to send to alarm host.

Installation: installed at the closed door and drawer.(PS:Detectors and magnetic stripe is opposite, the spacing of less than 1 cm)



Installation Instruction

- 1、Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
- 2、Suitable for wood door/window or glass door/window.

● Packing list

SMQT



| Packaging List | |
|-----------------------|----------------------|
| Qty | 200 / box |
| Carton Size | 40L * 30W * 20H (cm) |
| Weight | 10Kg |



● In the Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair