

• *Parameter*

SMQT

Materials	ABS high-strength fire retardant materials
Operating Voltage	DC12V ~ 15V
Working current	200mA
Switching current	5mA
Flash frequency arc tube	120 beats / min (± 10)
Alarm	Audible alarm
Alarm indicator	Red LED flash 120 db siren
Sensitivity Level	Level 1
Dimensions	28.5*20*10.3(mm)

• *Introduction*

SMQT




The electronic outdoor alarm siren is the strobe red horn with

12VDC 220VAC sirens sale.

The emergency alarm siren used with the alarm system from electronic strobe siren manufacturer.

•Dimension

SMQT[®]



1. The use of LED light tube and the excellent performance of the control circuit, super loudness siren speaker independent, intelligent resistance, two flash!
2. The use of high-strength fire retardant ABS material, SMT manufacturing process, containing a metal package, high stability, long life!
3. High brightness, sound big, stable - security, security, and long service life!
4. imported chips, micro-controller, 120dB alarm sound, two LED flash lights!
5. The use of the latter design, the machine has a burglar alarm burglar tamper devices, security, security!
6. The wiring design inserted row, directly connected to the power supply and host, uninterruptible power, 24-hour patrols and alarm!
7. environmental adaptability, special moisture-proof design, red LED, high loudness siren sound and light alarm, the use of high efficiency!
8. Scope: all the needs of local factories, warehouses, hospitals, schools, banks, office buildings, residential buildings, residential, automotive and other theft and alert.



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

