

• *Parameter*

SMQT

Materials	ABS high-strength fire retardant materials
Operating Voltage	DC12V ~ 15V
Working current	200mA
Switching current	5mA
Flash frequency arc tube	120 beats / min (± 10)
Alarm	Audible alarm
Alarm indicator	Red LED flash 120 db siren
Sensitivity Level	Level 1
Dimensions	28.5*20*10.3(mm)

• *Introduction*

SMQT




The electronic outdoor alarm siren is the strobe red horn with

12VDC 220VAC sirens sale.

The emergency alarm siren used with the alarm system from electronic strobe siren manufacturer.

• Dimension

SMQT®



1. The use of LED light tube and the excellent performance of the control circuit, super loudness siren speaker independent, intelligent resistance, two flash!
2. The use of high-strength fire retardant ABS material, SMT manufacturing process, containing a metal package, high stability, long life!
3. High brightness, sound big, stable - security, security, and long service life!
4. imported chips, micro-controller, 120dB alarm sound, two LED flash lights!
5. The use of the latter design, the machine has a burglar alarm burglar tamper devices, security, security!
6. The wiring design inserted row, directly connected to the power supply and host, uninterruptible power, 24-hour patrols and alarm!
7. environmental adaptability, special moisture-proof design, red LED, high loudness siren sound and light alarm, the use of high efficiency!
8. Scope: all the needs of local factories, warehouses, hospitals, schools, banks, office buildings, residential buildings, residential, automotive and other theft and alert.



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair