

Name:	EM 125Khz/13.56Mhz rfid digital access control keypad for apartment
Model:	EA-87B
Dimension:	120*56*18mm
Working Voltage:	10-24 VDC
Static Current:	30mA
Card capacity:	2000
Induction Distance:	ID 5-8 cm /IC 3-5 cm
Open Time:	0-99s (adjustable)
Output Contact:	Door Sensor/Release Button/Bell/Anti-tampered
Open Mode:	Card/Password/Card+Password

What Features of our access controller?

ACCESS CONTROL

Access control keypad
Door release button
BELL
BELL
D1
ALARM
OPEN
D_IN
DC12V
GND
NO
COM
NC
Door bell
Signal1
Signal2
GND
12V
Power supply
Electric lock
PUSH
GND
12V
COM
NC
NO
-12V
+12V
Electric Lock
Tag key
Door release button
Access control keypad
Power supply

IN-KIND SHOOTING

The device can be used in apartments, villas, shopping malls, hospitals, office, hotel, etc

APPLICATION

The device can be used in apartments, villas, shopping malls, hospitals, office, hotel, etc

SHOW CASE

SMQT 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD
https://eis.en.alibaba.com
CARD HERE

OFFICE SHOW

CUSTOMER

EXHIBITION

CERTIFICATE

HOW TO COOPERATION

Trade terms:	**EXW**
Payment terms:	**T/T, Western union, Paypal etc**
Delivery time:	**Normal order within 7 days, bulk order 10-15days**
Packing:	**Neutral paper box and paper carton**
Shipping:	**Express company or by sea, by air or appointed by buyer**

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel
can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.