


Four Doors&One Direction C/S Network TCP/IP RS485 Mode Access Control Panel

Four door access controller




EA-814'S MAIN PARAMETER

Product Name:	TCP/IP four door access controller with fire alarm port and burglar alarm port and SDK free offered
Model number:	EA-814
Working voltage:	9~14V DC
Working current:	<350mA
User capacity:	20000 user capacity
Record capacity:	1000,000 event records (can record card, alarm, exit switch, door magnet, system action information, etc.)
Interface:	Card reader×8pcs(WG26 or WG 34) Lock×4pcs Door release button×4pcs Door sensor×4pcs Alarm relay×1pcs RS485×1pcs(optional) TCP/IP×1pcs
Communication way:	TCP/IP / Rs485 optional

Software:	Free PC software
Size:	221*140*17mm
Suitable for:	Access control system /Burglar alarm system/Fire alarm system
Material:	PCB board
Color:	Black
Weight:	0.8kg
Optional accessories:	Metal box power supply
Warranty:	2 years warranty
OEM:	Welcome OEM

WHAT FEATURES EA-814 HAVE?

Compatible accessories introduction



Card reader× 8



Lock×4



Button× 4




Door sensor×4





siren ×1

Wire diagram



PC software




SDK free offer




Software development kit free offered

Optional accessories



Metal box power supply

Standard package



Single package size: 248*165*30mm

FCL number: 46 PCS


FCL weight: 19kg

FCL size: 470*383*420mm


Welcome OEM

HOW ABOUT OTHER CHOICE?

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

