

Emergency button with key

Stainless steel panel with key


Waterproof, unduplicate key

100000 times mechanical test

Suitable for access control system

Concealing box is optional

SMQT



• Parameter

SMQT

Parameter	
Product name	Key open door release button
Model	EA-25
Dimension	88×88×20(mm)
Standard Structure	Stainless steel panel With Key
Rating current	3A 36V DC Max
Contact Output	NC/COM
Mechanical test	100.000 times test
Optional Accessories	Concealing Box
Suitable range	Door open
Color	Silver grey
Safe Type	Waterproof, Defense to duplicate the key
Usage	Access control system and doorphone system
Relative Humidity	0~95%
Environment temperature	-20 °C-55 °C
Panel Material	Stainless steel panel, wire drawing finished
Net weight	0.16kg

• In-kind shooting

SMQT



• *Feature*

SMQT®



***Stainless Emergency
Door Release Button
EA-25***

**LED light indicator
Waterproof appearance and Durable
Anti-duplicated keys**

**Stainless steel panel, wire
drawing oil processing.**



● *Packaging & shipping*

SMQT®

Packaging list	
Product name	EA-25 Key open door release button
Qty	100 pcs per carton
Carton size	47*37*29(cm)
Weight	17kg



● *Office show*

SMQT®



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....