

SMQT OLED Screen Access Control Card Reader EA-93DK

- Unique appearance design.
- OLED screen.
- IC (13.56Mhz) card type
- WG26/34 communication(optional)
- Short-circuit protection lightning protection
- Plug type connection easy to intallation



● Parameter

SMQT®

Parameter	
Name	OLED Screen IC(13.56Mhz) Access control card reader
Model	EA-93DK
Dimension	96×96×22(mm)
Working voltage	12V ± 3VDC
Wroking power	<1w
Card type	13.56Mhz IC
Induction distance	60mm
Cable distance	150m
Communication format	WG26/WG34
Transmitting rate	1bit/ms
Keypad output	4bit/8bit
Color	Black/White(optional)
Shell material	PC
Suit for	home office access control system
Environment temperature	-30 °C~65 °C
Net weight	0.2kg

● Introduction

SMQT®



EA-93DK

OLED screen IC(13.56Mhz) Wiegand card reader

IC(13.56Mz,h)Card type

Wiegand 26/34communication(optioanl)

OLED Dispaly Screen

Laser carving and wer-resisting keyboard

High safety,short-circuit and lightning protection,tamper device

Plug type connection, easy to install

2 years warranty, Welcome OEM

• *In-kind shooting*

SMQT



• Installation

SMQT®



• Packaging & shipping

SMQT®

Packaging list

Product name	OLED Screen IC(13.56Mhz) Access control card reader EA-93DK
Qty	36 pcs per carton
Carton size	45*32*32(cm)
Weight	9kg



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair