

# Converter USB to RS485

Compatible with EIA/TIA RS-232,RS-485 standard

Interface:USB interface

RS-485 interface

Transmission medium:normal cables,twisted-pair cables or shielded cables

57.6kbps in 1200m transmission speed(short distance can reach 230kbps)

Transmission distance: 5m(USB port)

1200m(RS485 port)

7-12V input voltage

**SMQT**



## • Parameter

**SMQT**

Наименование товара	Преобразователь USB в RS485
Модель	EA-02
измерение	94 × 35 × 18 (мм)
Серийный функция	Интерфейс совместим с EIA / TIA RS-232C, RS-485 стандарт
Электрический интерфейс	USB-порт, разъем DB9, RS-485 со стороны, DB9 штырьковый разъем с клеммой (пять проводов).
Способ работы	Асинхронный полудуплексный
среда передачи данных	Обычная линия, витая пара или экранированный кабель
Скорость передачи	До 57.6kbps (крупный план на скорости 230kbps) на расстоянии 1200м
дальность передачи	5 м (конец USB) 1200 м (RS-485)
цвет	серый
Применение	Система контроля доступа
Относительная влажность	5% ~ 95%
Окружающая среда Temperature	-10 °C ~ 85 °C
письмо о договоренности	прозрачный
Вес нетто	0.116kg

## • Introduction

**SMQT**

USB в RS485 конвертер для программного обеспечения системы контроля доступа двери работают на компьютере.



• *Feature*

SMQT



*Converter USB to RS485*  
*Interface compatible with EIA*  
*/ TIA RS-232C, RS-485 standard*

*Electrical Interface:*

*USB port, DB9 female connector*  
*RS-485 side, DB9 male connector*

*Transmission rate:*

*Up to 57.6kbps (close up to 230kbps*  
*rate) in the 1200m distance*

*Transmission distance:*

*5 m (USB end) 1200 m (RS-485 terminal)*

*Suitable for data transmission system*

*0.116kg weight*

*Welcome OEM and 2 years quality warranty*

switch power supply

Converter USB to RS485 EA-02



Door release button



Access control keypad



PC

## • Office show

SMQT®



## • Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair