• Parameter

SMQT

Габаритные размеры	106 * 16 * 16 (мм)
подключение	Нормально открытый / нормально закрытый
рабочее расстояние	50 ± 10 (мм)
максимальное давление	≤100VDC
ток нагрузки	≤500mA
рабочая мощность	≤10W
Материал корпуса	Цинковый сплав В ABS
цвет форма	Серебряный
объем	Железные двери или окна
Вес изделия	158g / 62г

• Introduction

SMQT

Контактный выключатель двери магнитный является магнитный переключатель датчика для системы контроля доступа двери и охранной системы сигнализации.

PRODUCT PICTURE



PRODUCT FEATURE

EB-139A

EA-139B

Wired magnetic contact sensor

NO/NC code mode optional

50±10(mm) gap distance

MAX voltage:≤100V DC,MAX current≤500mA

Material: mode A:Alloy-zn, mode B:ABS

Suitable for metal door or window

Color:grey silver

Weight: mode A:158g mode B:62g

Welcome OEM and 2 years quality warranty

WHY CHOOSE US ?

1.7 Years golden supplier in Alibaba platform.

2.Our product follow CE standard.

3.Provide 2 years quality warranty.

4.Welcome OEM and ODM.

• *Packaging & shipping*

SMQT

• *Office show*

SMQT

•*Exhibition*

SMQT