

Emergency button with key

Stainless steel panel with key


Waterproof, unduplicate key

100000 times mechanical test

Suitable for access control system

Concealing box is optional

SMQT



• *Parameter*

SMQT

Габаритные размеры	88 * 88 * 20 (мм)
Стандартная структура	Панели из нержавеющей стали, нержавеющей стали ключ
Электрические характеристики	Текущая максимальная прочность 3A36VDC
Выходной узел	NC / COM
испытание на износостойчивость	Сто тысяч раз старения испытания
Для типа	Полые рамы и погружают электрическая коробка
Тип безопасности	Клавиши поверхностных вод и анти-копировальные
Обработка панели	Панели из нержавеющей стали, шлифованный

• *Introduction*

SMQT

Кнопка открывания двери контроля доступа кнопка открывания двери аварийного выхода на кнопку выключателя, используемого для системы контроля доступа.



• *Feature*

SMQT



*Stainless Emergency
Door Release Button
EA-25*

LED light indicator
Waterproof appearance and Durable
Anti-duplicated keys

Stainless steel panel, wire
drawing oil processing.



• *Installation*

SMQT®

Switch Power Supply



• *Packaging & shipping*

SMQT®



• *Office show*

SMQT®



• *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....