

## • *Parameter*

SMQT®

Габаритные размеры	224L * 224W * 83H (мм)
Выходное напряжение	DC12V
Выходной ток	5A
Выходная мощность	60W
установка задержки	0 ~ 10s
Специально разработанные	Дважды стеклопакет, медный трансформатор, стальная оболочка
функция безопасности	Защита от короткого замыкания, защита от заряда-разряда
Объем	Контроль доступа, построение системы внутренней связи
Может быть доступны резервной батареи	12V 7Ач

## • *Introduction*

SMQT®



Водонепроницаемый источник бесперебойного питания (ИБП) является переменной 12v питания Китай сделал и используется с системой управления двери Accesss и системы охранной сигнализации.

## • Dimension

SMQT



## • Feature

SMQT



*Access control switch power supply*

*AC 220V input, DC 12V 5A output*

*0~10s time relay(adjustable)*

*Short circuit protection, charge protection*

*Double face PC board, pure copper*

*transformer, steel shell*


*Suitable for access control and*

*doorphone system*

*12v 7Ah backup battery optional*

*Welcome OEM and order sample test*

*2 years quality warranty*



• *Packaging & shipping*



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....

## How to cooperation

SMQT



<b>Trade terms:</b>	<b>EXW</b>
<b>Payment terms:</b>	<b>T/T, Western union, Paypal etc</b>
<b>Delivery time:</b>	<b>Normal order within 7 days, bulk order 10-15days</b>
<b>Packing:</b>	<b>Neutral paper box and paper carton</b>
<b>Shipping:</b>	<b>Express company or by sea, by air or appointed by buyer</b>