

Plastic door release button

- Fireproof ABS panel
- 100000 times mechanical test
- Suitable access control system
- Bottom case is optional
- 3 appearance model optional



Parameter



Specification	
Model	EA-26A / B / C
Dimensions	86 * 86 * 20 (mm)
Model B	86 * 86 * 20 (mm)
Model C	86 * 86 * 30 (mm)
Material	ABS
Operating Voltage	3A36VDC
Operating Temperature	-20°C ~ 70°C
Operating Humidity	10% ~ 90% RH
Operating Environment	Indoor

Introduction



The plastic door release button is a key component of the ABS system, used to release the door lock. It is designed to be fireproof and durable, with a mechanical life of up to 100,000 times. The button is suitable for various access control systems and can be customized in different appearance models. The bottom case is optional, and the button is made of fireproof ABS material.





EA-26A



EA-26B



EA-26C

Plastic Door release button


Fireproof ABS plastic panel

Passed 100000 times mechanical test

Suitable for access control system

Embedded bottom box is optional

2 years warranty, welcome OEM



Switch power supply



Converter (RS232 to RS485)



Door release button EA-26



Standalone controller



PC

• *Packaging & shipping*

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair