

# LED backlight door release button

- Stainless steel and aluminum panel
- Stainless steel button with LED light
- Blue/red/green led light color optional
- 100000~500000 times mechanical test
- Suitable for access control system



## Parameter



品名	LED / 按钮
型号	EA-27
尺寸	EA-27A: 91 × 28 × 20 (mm) EA-27B / D: 86 × 86 × 20 (mm) EA-27C: 86 × 50 × 20 (mm)
材料	不锈钢 / 铝
额定电压	3A 36V DC
触点配置	NO / NC / COM
使用寿命	500000 ~ 100.000 次
工作电压	
工作温度	0 ~ 95%
存储温度	-20 °C -55 °C
重量	EA-27A: 0.072kg EA-27B: 0.106kg EA-27C: 0.132kg EA-27d: 0.194kg

## In-kind shooting





• *Feature*

**SMQT**



EA-27A



EA-27B



EA-27C



EA-27D



THE ONE

***Strong stability***

PC rubber seal lock core,  
resistance to heat shock,  
500, 000 times mechanical test  
qualified, suitable for all  
Access control system



THE SECOND

***Superior Design***

Simple and beautiful appearance,  
stainless steel wire drawing  
panel.



THE THIRD

***OEM***

LED backlight's color red/blue  
green optional, print logo or  
other service

# Application

SMQT

Switch Power supply



Door release button EA-27



Converter (RS232 to RS485)



Standalone controller



PC

# Packaging & shipping

SMQT

□□□□□□□□□□□□□□	
□□□□□□□□□□□□	□□□□□□□□□□□□□□ EA-27 LED
□□□□□	100 □□□□□□□□□□□□
□□□□□□□□□	47 * 37 * 29 (□□.)
□□□□□□□	8 ~ 20 □□□□□□□□



## • Office show

SMQT®



## • Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....