

RFID ID (125Khz)



Waterproof ID (125Khz) EA-92:

RFID ID (125Khz)	
RFID ID (125Khz)	Waterproof ID (125Khz) RFID ID (125Khz)
Model	EA-92
Size	96 × 96× 22 (mm)
Power supply	12V ± 3VDC
Power consumption	<1W
Frequency	125Khz ID EM
Protection level	IP66
Thickness	60mm
Reading distance	150m
Card type	WG26 / WG34
Card format	1bit / MS
Card capacity	4bit / 8bit
Card material	RFID
Card color	Black / White (RFID ID (125Khz))
Card shape	RFID ID (125Khz)
Operating temperature	-30 °C ~ 65 °C
Weight	0.25kg

1. RFID ID (125Khz) adopts areneous



[illegible][illegible]

5. /

EA-92 □□□□□□□□□□□□□□□□?






Size




mm

Wire port introduction



NO	Color	Function	Description
1	Red	12V+	DC Power 12V
2	Black	GND	DC Power 0V
3	Green	OC OUT**	OC Out to output doorbell signal or anti-tamper signal
4	White	DATA1	Wiegand DATA1 Output
5	Black	DATA0	Wiegand DATA0 Output
6	Orange	GND	Signal Grounding
7	Brown	Green LED*	Grounding to display 1 st message and green LED lights up
8	Yellow	Red LED*	Grounding to display 2 nd message and red LED lights up
9	Blue	Beeper	Beeper controller, grounding to work
10	Purple	Hold	Card reading controller,grounding to stop therefore reading

Wire diagram



2 years warranty