

# Wired metal magnetic contact sensor

NO/NC Code mode optional

50±10(mm) gap distance

Max voltage≤100V DC,Max current≤500mA

Suitable for metal door or window

Material:mode A is Alloy-zn

mode B is ABS

Silver color

Weight:mode A 158g,mode B 62g



## • Parameter

SMQT


尺寸	106 * 16 * 16 (mm)
材料	合金 / ABS
间隙	50 ± 10 (mm)
电压	≤100VDC
电流	≤500mA
功率	≤10W
模式	模式 A B ABS
颜色	银色
重量	模式 A 158g / 模式 B 62g

## • Introduction

SMQT

本产品为有线金属磁性接触传感器，适用于金属门或窗。产品具有体积小、安装方便、使用寿命长等特点。产品分为模式 A 和模式 B 两种，模式 A 采用合金材料，模式 B 采用 ABS 材料。产品颜色为银色。产品重量为模式 A 158g，模式 B 62g。产品电压 ≤100VDC，电流 ≤500mA，功率 ≤10W。产品间隙为 50 ± 10 (mm)。产品尺寸为 106 \* 16 \* 16 (mm)。产品材料为合金 / ABS。产品颜色为银色。产品重量为模式 A 158g / 模式 B 62g。产品电压 ≤100VDC，电流 ≤500mA，功率 ≤10W。产品间隙为 50 ± 10 (mm)。产品尺寸为 106 \* 16 \* 16 (mm)。产品材料为合金 / ABS。产品颜色为银色。产品重量为模式 A 158g / 模式 B 62g。

# PRODUCT PICTURE



# PRODUCT FEATURE



*Wired magnetic contact sensor*

*NO/NC code mode optional*

*50±10(mm) gap distance*

*MAX voltage:≤100V DC,MAX current≤500mA*

*Material: mode A:Alloy-zn, mode B:ABS*

*Suitable for metal door or window*

*Color:grey silver*

*Weight: mode A:158g mode B:62g*

*Welcome OEM and 2 years quality warranty*

# WHY CHOOSE US ?



**1.7 Years golden supplier in Alibaba platform.**

**2.Our product follow CE standard.**

**3.Provide 2 years quality warranty.**

**4.Welcome OEM and ODM.**





## ● Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....