

Wireless door sensor

Fireproof ABS shell

DC 12V power supply

Wireless frequency 315Mhz/433Mhz optional

Wireless signal transmission distance max 100m




• Parameter




产品名称	无线门磁探测器
型号	EB-130
尺寸	71 × 36 × 15 (mm) 63 × 14 × 14 (mm)
厚度	40 ± 5mm
供电电压	12V 锂电池供电
使用寿命	≤1years
工作频率	315MHz / 433MHz (可选)
传输距离	< = 100 米 (视环境而定)
重量	0.035kg

• In-kind shooting








Function: To detect the door, window, drawer, ambry is illegally open or move.

Features: Triggered under the armed state, there will be alarm signal to send to alarm host.

Installation: installed at the closed door and drawer. (PS: Detectors and magnetic stripe is opposite, the spacing of less than 1 cm)



Installation Instruction

1. Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
2. Suitable for wood door/window or glass door/window.

• Packaging & shipping

SMQT®

XXXXXXXXXXXXXXXXXXXX	
XXXXXXXXXXXXXXXXXXXX	EB-130 XXX
XXXXXX	200 XXXXXXXXXXXXXXX
XXXXXXXXXXXX	47 * 37 * 29 (mm.)
XXXXXXXXXX	10kg



• Office show

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....