

## ● Parameter

SMQT

Kiriş sayısı	2/4/6/8/10
Mesafe (iç mekan)	5m / 10m / 20m / 30m / 40m / 60m
Yükseklik detektörü	37/72/125/167 / 209cm
Çalışma akımı	30mA ~ 80mA
Çalışma gerilimi	DC12V ~ DC18V
Geribildirim zaman	<1.5ass
Röle kontağı	3A, AC120V / DC24V
Açıyı ayarlayın	180° ± 90°
Ortam sıcaklığı	-35 °C ~ 55 °C


## ● Introduction

SMQT

Düşük frekanslı kızılötesi emisyon: ev aletleri (Uzaktan Kumanda Sistemi) girişim yok;  
Akıllı ışık yoğunluğu algılama: düşük güç tüketimi, yanlış pozitif azaltmak;  
Çeşitli kurulumlar: Yüze ve gömme montaj, hassas hizalama olmadan;  
Çapraz kızılötesi çekim: güneş ışığından tamamen kaçının (benzersiz teknoloji);  
zarif görünüm: mükemmel kombinasyonun peşinde modern ev dekorasyon.


Fotoelektrik Kızılötesi Kirişler Pencere ve çit alarmı ile kullanılan bariyer sensörü takımı.

Kızılötesi çitler ("kızılötesi korkuluklar" olarak da bilinir), alıcıya "düşük frekanslı verici, Zaman Bölümü Algılama" moduna alıcıya radyo vericisi üzerinde çok ışınlı kızılötesi ışık kullanan bir tür aktif kızılötesi çekimdir, kişi kızılötesi ışık yayar veya verici tarafından yayılan herhangi bir bitişik iki veya daha fazla ışık huzmesini engelleyen nesne 30 ms'yi aşar, bir güneş ışınının bulunduğu yerden uzakta küçük hayvanlar veya küçük nesnelere olduğunda alıcı çıkış alarm sinyali, alarm alarm sinyali vermez.



● Dimesion Picture

SMOT



● Installations

SMOT



Using CPU micro processing intelligent control, intelligent distinction through the size of the object, there is an illegal intruder when the fence to trigger an alarm. When the smaller cats, dogs, birds and other small animals through the fence , the detector will not trigger the alarm, does not affect people's trouble to switch windows.





## ● Features

**SMOT**

**With tamper resistant, anti interference, high reliability**

With anti demolition, anti interference function, when there is an intruder to remove or damage, the immediate alarm model, the



Tamper switch, when the invaders destroyed or disassembled, tamper switch will trigger the alarm immediately bounce.



**Waterproof moisture-proof function, can adapt to bad weather**

Because this product is used in indoor and outdoor, the use of universal is relatively strong. The products according to the scientific design, with rain proof structure for installation of indoor and outdoor machine of supermarket zone, waterproof, dust-proof, wind and rain, wind and rain does not matter, can adapt to all kinds of bad environment and weather.



**Aluminum alloy material design: beautiful and reliable structure**

Main body outer shell is made of high quality aluminum alloy material, and the surface of the polishing treatment, bones and durable; the import filter to visible light good filtering function.



**Installation and debugging is convenient, 3 when the warning distance can be adjusted**

After the installation of the fixed infrared beam of the launch and reception of vision can be achieved 360 degrees of rotation, three block adjustable warning distance, convenient and sensitive.



far ( 15-30m )  
in ( 5-15m )  
near( 0-5m )

3 warning distance adjustable map

The bracket adopts the latest sliding cover to be designed, and the installation is more convenient. Disassembly more secure.

## ● Packing list

**SMOT**



Wireless infrared beam sensor

Mounting screw

User manual

Packaged box

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....