

## ● Parameter

SMQT

Belirtimi	
Ürün adı	Erişim denetim geçiş güç kaynağı
Model numarası	EA - 37C
Boyutlar	182 L * 76W * 62H (mm)
Çıkış voltajı	DC12V
Çıkış akımı	3A
Çıkış gücü	36W
Çıkış iletişim	COM / NC / NO / GND / + 12V / BAS / KONTROL
Gecikme ayarı	0-10'lar
Özel olarak tasarlanmış	Çift bölmeli cam, bakır trafo, çelik kabuk
Güvenlik işlevi	Kısa devre koruma
Kapsam	Erişim denetimi, Bina İnterkom Sistemi


## ● Introduction

SMQT

Erişim denetimi güç kaynağı standart termal egzoz tasarımı ile yüksek kaliteli hammadde metal kaplama yapılmış ithal, iyi ısı dağılımı ve parazit koruyucu özellikleri vardır. Dalga formu kalitesi iyi, hayır yüksek frekanslı ses, çıkış voltajı 12VDC, pil tükenmesi koruması ile Çift röle tasarım ve aygıt güç istikrarı sağlamak için alır.

## ● Dimesion Picture

SMQT



## ● Installations


SMOT®

### Access controller Keypad



## ● Features

SMOT®



## ● Packing list

SMOT®

Ambalaj listesi	
Miktar	20pcs / kutu
Karton boyut	43.8 M * 39.8W * 16,5 H (cm)
Paket ağırlığı	25.38kg

**POWER SUPPLY CONTROLLER**

INPUT : AC220V, 50Hz

OUTPUT: DC12V, 3A

TIMER : 0~10Sec

**SHORT CIRCUIT PROTECTION**



● Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....