

Wired magnetic door sensor

Fireproof ABS material housing

20±5(mm) gap

Max voltage≤100V DC,Max current≤500mA

Use for wooden door or window

White/Black color optional

SMQT



• Parameter

SMQT



Boyutlar	64L * 19W * 13H (mm)
Bağ	Normalde açık / normalde kapalı
Çalışma mesafesi	20 ± 5 (mm)
Maksimum basınç	≤100VDC
Yük akımı	≤500mA
Çalışma Gücü	≤10W
Ev materyalleri	ABS yanmaz malzeme şekli
Renk	Kahverengi / Beyaz
Kapsam	Demirsiz kapı veya pencere
Ürün ağırlığı	24gr

• Introduction

SMQT

Manyetik kapı kontağı anahtarı, kapı erişim kontrolü ve alarm sistemi için kablolu kapı sensörü ve pencere sensörüdür.

PRODUCT PICTURE



PRODUCT FEATURE



White



Brown

2 Color optional

Dimension: 64×19×13(mm)

NO/NC mode optional

20±5(mm) gap

MAX voltage ≤ 110VDC, MAX current ≤ 500mA

Fireproof ABS material housing

Suitable for wooden door or window

Brown/ White color optional

Weight: 24g

2 years quality warranty, welcome OEM



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....