

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional


Brown/white color optoinal

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT®



• Parameter

SMQT®

Parametre	
Ürün adı	Kablolu kapı sensörü
model	EB-132
boyut	34 × 41 × 6.5 (mm)
kod modu	NO / NC (isteğe bağlı)
boşluk	20 ± 5 (mm)
Maksimum gerilim	≤100V DC
Maksimum akım	≤500mA
Max değerlendirme	≤10W
Renk	Kahverengi / Beyaz (isteğe bağlı)
İçin uygun	ahşap kapı veya pencere
Malzeme	Yanmaz ABS gövde
Çalışma sıcaklığı	-10 °C ~ 50 °C
Net ağırlık	14g

• In-kind shooting

SMQT®



• *Feature*

SMQT



EB-132

Dimension:34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage≤100VDC,MAX current≤500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty,welcoem OEM

•Packaging & shipping

SMQT®

Ambalaj listesi	
Ürün adı	EB-132 Kablolu kapı sensörü
Adet	karton başına 1600 adet
Karton boyutu	38 * 30 * 30 (cm)
Ağırlık	20kg



WE LOGISTICS



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair