

## ● Parameter

SMQT

Số lượng dầm	2/4/6/8/10
Khoảng cách (trong nhà)	5m / 10m / 20m / 30m / 40m / 60m
Máy dò chiều cao	37/72/125/167 / 209cm
Công việc hiện tại	30mA ~ 80mA
Điện áp hoạt động	PCB ~ DC18V
Thời gian phản hồi	<1,5ass
Tiếp điểm	3A, AC120V / DC24V
Điều chỉnh góc	180 độ ± 90 độ
Nhiệt độ môi trường	-35oC ~ 55oC

## ● Introduction

SMQT

Phát xạ hồng ngoại tần số thấp: thiết bị gia dụng (Hệ thống điều khiển từ xa) không bị nhiễu;  
Phát hiện cường độ ánh sáng thông minh: tiêu thụ điện năng thấp hơn, giảm dương tính giả;  
Một loạt các cài đặt: Bề mặt và lắp đặt có thể, mà không cần căn chỉnh chính xác;  
Chụp hồng ngoại: tránh hoàn toàn nhiễu ánh sáng mặt trời (công nghệ độc đáo);  
ngoại hình thanh lịch: theo đuổi sự kết hợp hoàn hảo trang trí nhà hiện đại.


Cảm biến rào cản tia hồng ngoại quang điện phù hợp để sử dụng với cửa sổ và báo động hàng rào.

Hàng rào hồng ngoại (còn gọi là "lan can hồng ngoại") là một loại chụp hồng ngoại chủ động, sử dụng ánh sáng hồng ngoại đa chùm trên máy phát vô tuyến đến máy thu để "máy phát tần số thấp, phát hiện phân chia thời gian" phát ra ánh sáng hồng ngoại, một khi người đó hoặc đối tượng chặn bất kỳ hai hoặc nhiều chùm sáng liền kề phát ra từ máy phát vượt quá 30ms, tín hiệu cảnh báo đầu ra của máy thu ngay lập tức khi có động vật nhỏ hoặc vật nhỏ cách xa tia năng, báo động sẽ không phát tín hiệu báo động.



● Dimesion Picture

SMOT



● Installations

SMOT



Using CPU micro processing intelligent control, intelligent distinction through the size of the object, there is an illegal intruder when the fence to trigger an alarm. When the smaller cats, dogs, birds and other small animals through the fence , the detector will not trigger the alarm, does not affect people's trouble to switch windows.





## ● Features

**SMOT**

**With tamper resistant, anti interference, high reliability**

With anti demolition, anti interference function, when there is an intruder to remove or damage, the immediate alarm model, the



Tamper switch, when the invaders destroyed or disassembled, tamper switch will trigger the alarm immediately bounce.



**Waterproof moisture-proof function, can adapt to bad weather**

Because this product is used in indoor and outdoor, the use of universal is relatively strong. The products according to the scientific design, with rain proof structure for installation of indoor and outdoor machine of supermarket zone, waterproof, dust-proof, wind and rain, wind and rain does not matter, can adapt to all kinds of bad environment and weather.




**Aluminum alloy material design: beautiful and reliable structure**

Main body outer shell is made of high quality aluminum alloy material, and the surface of the polishing treatment, bones and durable; the import filter to visible light good filtering function.



**Installation and debugging is convenient, 3 when the warning distance can be adjusted**

After the installation of the fixed infrared beam of the launch and reception of vision can be achieved 360 degrees of rotation, three block adjustable warning distance, convenient and sensitive.



far ( 15-30m )  
in ( 5-15m )  
near( 0-5m )

3 warning distance adjustable map

The bracket adopts the latest sliding cover to be designed, and the installation is more convenient. Disassembly more secure.

**● Packing list**



Wireless infrared beam sensor

Mounting screw

User manual

Packaged box

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....