

Plastic door release button

Fireproof ABS panel

100000 times mechanical test

Suitable access control system

Bottom case is optional

3 appearance model optional

SMQT



• Parameter

SMQT

Specification	
Tên sản phẩm	nút nhựa Door phát hành
Mô hình	EA-26A / B / C
Kích thước A	86 * 86 * 20 (mm)
Kích thước B	86 * 86 * 20 (mm)
Kích thước C	86 * 86 * 30 (mm)
Cơ cấu tiêu chuẩn	Vật liệu chịu nhiệt nhựa hỗn hợp
hiệu suất điện	Hiện tại 3A36VDC độ bền tối đa
kiểm tra độ bền	Trăm ngàn lần thử nghiệm lão hóa
Đối với Loại	khung rỗng áp dụng và hộp điện chìm
bảng điều chỉnh chế biến	xử lý bề mặt trần truồng vật liệu chịu lửa

• Introduction

SMQT

Việc kiểm soát truy cập cửa nút thoát chuyển đổi với chất liệu nhựa ABS và làm việc với các hệ thống kiểm soát truy cập.





EA-26A



EA-26B



EA-26C

Plastic Door release button


Fireproof ABS plastic panel

Passed 100000 times mechanical test

Suitable for access control system

Embedded bottom box is optional

2 years warranty, welcome OEM



Switch power supply



Converter
(RS232 to RS485)



Door release
button EA-26



Standalone
controller



PC

• *Packaging & shipping*

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....