Fireproof ABS home smart automatic wired door switch sensor

Product Description

Parameter	
Product name	Fireproof ABS home smart automatic wired door switch sensor
Model	EB-135
Dimension	Φ10 ×18.5(mm)
Code mode	NO/NC(optional)
Gap	20±5(mm)
Max voltage	≤100V DC
Max current	≤500mA
Max rating	≤10W
Color	Brown/White(optional)
Suit for	wooden door or window
Material	Fireproof ABS housing
Working temperature	-10 ℃~50 ℃
Net weight	8g

Product Feature

what features of our wired door switch sensor ?

- Fireproof ABS housing
- Brown or White color optional
- Suit for wooden doors or windows
- Normal open or Normal close optional
- 2 years quality warranty,welcome OEM

Product Display

IN-KIND SHOOTING

APPLICATION

2 Color optional



White Brown

Show Cases

SHOW CASES

Company Information

OFFICE SHOW

CUSTOMERS

EXHIBITION

CERTIFICATION

Our Services

Payment & Transport

1.Powerful R&D team can provide customized features and functions, referring to different

requirements from different customers.

2.Payment term: T/T, Western Union, and Paypal.

3.24 hours after-sale service is provided with the professional technical support and training.

4.Our artist team can provide Neutral pictures for distributor's website promotion.

5.Optional shipping service: couriers (UPS, DHL, TNT, and Fedex), by sea, and by air.

FAQ

FAQ

1. Can I have a sample order?

Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are accep table.

2. What is the lead time?

Sample needs 1-3 working days, mass production time needs 10-15 working days for order le ss than 5000pcs.

3. Do you have any MOQ limit?

EXW MOQ is 100pcs under blank box.

4. How do you ship the goods and how long does it take arrive?

The sample will be sent to you by optional shipping service (couriers, air, and sea). The delive ry time

depends on the shipping service.

5. How will we proceed the order if I have logo to print?

Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would

make sampling firstly from silk print factory and take picture for your second confirmation bef ore

mass production.

6. Does alarm panel work with any sensor?

The alarm system
can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors .