

• *Parameter*

SMQT®

Tên sản phẩm	cảm ứng hồng ngoại nút công tắc cửa
Mô hình	EA-21A / EA-21B
Chiều hướng	EA-21A: 85 × 52 × 25 (mm) EA-21B: 86 × 86 × 39 (mm)
Điện áp đầu vào	DC 12V
cảm ứng góc	& Lt; 115 °
Công suất điện	& Lt; 4W
Khoảng cách cảm ứng	10 ~ 20 cm
sản lượng Liên hệ	NO / NC / COM
thử nghiệm cơ khí	thử nghiệm 500.000 lần
phạm vi phù hợp	Hệ thống kiểm soát truy cập
Màu	màu xám / đen
Sử dụng	Hệ thống kiểm soát và hệ thống doorphone
Độ ẩm tương đối	0 ~ 95%
temperature môi trường	-20 °C -50 °C
Khối lượng tịnh	EA-21A: 0.046kg EA-21B: 0.106kg

• *Introduction*

SMQT®



kiểm soát truy cập nút thoát bao gồm nút bấm, chạm vào nút

chuyển đổi, nút cửa hồng ngoại sử dụng để thoát ra và nhập cảnh.

• *Feature*

SMQT



EA-21A



EA-21B



No touch infrared induction door release button

500000 times mechanical test


LED back light indication

Stainless steel panel,wire drawing finished

Welcome OEM&ODM

• Installation

SMQT®



• Packaging & shipping

SMQT®



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....