

# 12 12 24 24



12 24 24	12 24 24
12 24 24	Φ104 × 51
12 24 24	24 V
12 24 24	≤ 2M A
12 24 24	≤ 15mA
12 24 24	-10 ° C ~ + 50 ° C
12 24 24	1
12 24 24	1
12 24 24	20
12 24 24	1
12 24 24	222g

12 24 24





1.Wired photoelectric smoke detector


2.CE&ROHS certificate

3.4 wires terminal


4.Suitable for fire alarm and alarm system

5.2 years warranty , welcome OEM

□□□□□ □□□□-□□



□□□□□□



□□□□□□ □□□□□



□□□□□□ □□□□□□□□

□□□□□□ □□□



## CUSTOMER



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



<b>Trade terms:</b>	<b>EXW</b>
<b>Payment terms:</b>	<b>T/T, Western union, Paypal etc</b>
<b>Delivery time:</b>	<b>Normal order within 7 days, bulk order 10-15days</b>
<b>Packing:</b>	<b>Neutral paper box and paper carton</b>
<b>Shipping:</b>	<b>Express company or by sea, by air or appointed by buyer</b>



