

2 200000 NC 20000000 2000000000 20000000000 200000000000


SMQT

New

Access control & Alarm product supplier



200000 200000 200000 **EB-131A**



EB-131A'S PARINETER

□□□□□ □□□:	2 □□□□□□□□ □□□□□□□ □□□□□ □□□□□□
□□□□□□ □□□:	EB-131A
□□□□ □□□□□□□ □□□□:	Max DC 100
□□□□□ □□□□□:	0.5 □□□□A

消費電力 (消費電流):	10W
接続端子の種類:	NC / COM
接続端子の寸法:	20 ~ 30mm □
外形寸法:	(標準) 13 * 20 * 64 :標準外形寸法 (選別) 13 * 13 * 64 :標準外形寸法 (選別)
材質:	ABS樹脂 + PCB (標準) / (選別)
重量:	15 :標準重量 10 :選別重量 250 :標準重量 (選別)
寿命:	2 年保証
OEM:	標準外形寸法 (標準) / (選別)

標準外形寸法 (標準) **EB-131A** (標準) (選別)

2 color optional






White




Brown

Size




□□ □□ EB-131A □□□□□□□□ □□□□□□

NC mode working principle



Installation




□□□□ □□□□ □□□ □□□


SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

